

O 15 WAR 2005
INVESTOR IN PEOPLE

REO'D 22 SEP 2003

The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

BEST AVAILABLE COPY

Signed


Meseus

Dated

18 June 2003

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

An Executive Agency of the Department of Trade and Industry



Patents Form 1/77

Patents Act 1977 (Rule 16)

The Patent Office

Request for grant of a patent (See notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

THE PATENT OFFICE


The Patent Office

Cardiff Road Newport Gwent NP10 800

	Language Control of the Control of t	190	Gwent NP10 8QQ
1.	Your reference	PHGB 020151	
2.	Patent application number (The Patent Office will fill in this part)	0221657.0	18 SEP 2002
3.	Full name, address and postcode of the or of each applicant (underline all surnames)	KONINKLIKE PHILIPS ELECTRO GROENEWOUDSEWEG 1 5621 BA EINDHOVEN THE NETHERLANDS	ONICS N.V.
	Patents ADP Number (if you know it)	7419294001	
	If the applicant is a corporate body, give the country/state of its incorporation	THE NETHERLANDS	·
4.	Title of the invention	COMPUTER GAME SYSTEM AND	METHOD OF OPERATION
5.	Name of your agent (if you have one)	RICHARD CHARLES TURNER	:
	"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode) Patents ADP number (if you know it)	Philips Intellectual Property & Stands Cross Oak Lane Redhill Surrey RH1 5HA	ards
6.	If you are declaring priority from one or more earlier patent applications, give the country	Country Priority Application nu	mber Date of filing
	and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	·	
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application	Date of filing (day/month/year)
8.	Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer "Yes" if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or	YES	
	c) any named applicant is a corporate body. See note (d))	•	Patents for

Patents Form 1/77

Enter the number of sheets for any of the following 9. items you are filing with this form. Do not count copies of the same document.



If you are also filing any of the following, state how many against each item:

Priority Documents

Translations of priority documents

Statement of inventorship and right

to grant of a patent (Patents Form 7/77)

Request for preliminary examination and

search (Patents Form 9/77)

Request for substantive examination

(Patents Form 10/77)

Any other documents

(Please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature



12. Name and daytime telephone number of person to contact in the United Kingdom

01293 81 5299

D MARDEN

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to
- d) If you have answered "Yes" Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

DESCRIPTION

10

15

20

25

30

COMPUTER GAME SYSTEM AND METHOD OF OPERATION

This invention relates to a method of and a system for operating a computer game program.

There is much interest in manufacturing computer game systems which are appealing to potential users whilst also being profitable to the developers, manufacturers and right-owners of the game. For example, there is a wide range of game-machines which are available for public use in, say, arcades, that operate on receipt of an initial payment from the user. The game may operate for a predetermined period or until the user makes a particular mistake in the game. This type of game system provides a profit to the owner as well as providing entertainment for the user.

Computer games can also be played on PCs and game consoles wherein a save function is provided to allow the user to store the game status indefinitely. This enables the user to return to that game status at a later time or when the next mistake is made. A pause function may also be provided.

Game systems having a distributed architecture communicating via the Internet are also known. These can comprise a remote server storing the computer game program. The game can be accessed by a user by loading the remotely stored program onto a PC or a game console for execution. The user can be charged by using a prepaid memory card or by a prearranged account processed by the remote server for example. A user can save the game status.

However, any save function encourages the user to store the game status at a difficult part of the game thus removing some of the excitement for the user. Also novice users are not encouraged to play the game as they are likely to make a mistake in the early stages requiring them to make another payment to try again and may find it difficult to progress in the game.

It is therefore an object of the invention to provide an improved method of operating a computer game program.

It is a further object of the invention to improve the profitability of a computer game system which encourages novice and expert users alike to play the game.

According to a first aspect of the present invention there is provided a method of operating a computer game program comprising the steps of:

(a) - loading said computer game program;

10

15

20

25

30

- (b) executing said computer game program;
- (c) receiving instructions from a user interface;
- (d) changing the game status according to said instructions, and
- (e) charging a user to store said game status.

Advantageously, the excitement of playing the game is increased as users are charged to store the game status. When confronted with a difficult situation in the game, the user has a choice to proceed and take a chance, or to store the game state and incur a charge. This also increases the profitability of the game. Preferably, there is no charge to start playing the game. Therefore, novice users are encouraged to play and develop their progress during the early stages of the game for no charge.

Advantageously, the method may further comprise the step of (f) pausing the game status for a predetermined period of time between steps (d) and (e) in response to a specific instruction from said user interface. This allows the user to pause the game status for a short period if desired in which they may take a break. The method may further comprise the step of (g) further changing the game status according to said instructions after step (f). The user may wish to store the game status by incurring a charge immediately after the predetermined period of time or after a further period of play following a pause.

Advantageously, the method may have a multi-tier charging scale for example, in which step (e) comprises charging said user a first amount to store said game status for a predetermined time period and charging said user a

second amount to store said game status for an unlimited time period. The first amount may be zero thus allowing free pauses. By making it cheaper to pause the game rather than save it then the game is made more appealing to potential users. However, the first amount preferably increases over said predetermined time period. This prevents misuse of the pause function by charging the user a greater amount for longer pauses. The user may be limited to the number of allowed pauses within a specified time period in order to prevent them from pausing the game status indefinitely by instructing many short, successive cheap pauses.

5

10

15

20

25

30

The charging may debit a user's account. This account may be credited following specific changes in the game status.

According to a second aspect of the present invention there is provided a computer game system for operating a computer game program comprising computer readable storage means arranged to store said computer game program, a processor arranged to load said computer game program from said storage means, to execute said computer game program, to receive instructions from a user interface, and to change the game status according to said instructions, and charging means for charging a user to store said game status. The system may be an integrated computer device such as a PC, game console or mobile phone, or have a distributed architecture communicating via the Internet. The charging means may comprise a cash receiver.

Embodiments of the invention will now be described by way of example with reference to the accompanying drawings, in which:

Figure 1 shows a computer game system;

Figure 2 is a state-machine diagram of a computer game system;

Figure 3 shows a second embodiment of a computer game system; and,

Figure 4 is a flow diagram of a method of operating a computer game program.

Figure 1 shows a computer game system for operating a computer game_program. The_system_is_an_integrated computer device in the form of stand-alone arcade-style game machine 10. The machine 10 comprises computer readable storage means 12 arranged to store the computer game program. The storage means 12 may comprise an optical or magnetic disc or a memory cartridge for example. A processor 14 is arranged to load the computer game program, from the storage means 12, to execute the computer game program, to receive instructions from a user interface, and to change the game status according to the instructions. The machine 10 also has charging means in the form of a cash receiver 16. The user-interface of the machine 10 comprises a joystick 17 and buttons 18. The game status can be viewed on a display 19.

There are various ways in which a user can operate such a system in which there may be the option to carry out different actions at a given point in the operation. The state-machine diagram of Figure 2 illustrates, by way of example, some of the actions which a user of a computer game system may carry out. Once the system has been switched on, the available game can be viewed on the display 19 for example. The game may then be started following an instruction from the user. At any point during the game the user may pause, save or exit the game. Some actions may be automatic thus not requiring an instruction from the user. This includes an auto-pause following the saving of the game status allowing the user to re-gather their thoughts before resuming.

An example method of operating a computer game program on the system of Figure 1 will now be described.

The processor 14 loads the computer game program from the storage means 12, and executes the game on the system. The game is advertised on the display 19 by showing an introductory page of the game for example, which may attract potential users. A user may then start to play the game, free of charge, sending the desired instructions to the processor by operating the joystick 17 and/or the buttons 18. The processor 14 receives these instructions from the user-interface and changes the game status according to the instructions. The game status is continually displayed to the user, on the

30 اور آثر

5

10

15

20

25

display 19. Sound output may also be provided by the machine and the joystick 17 may have feedback functionality wherein it provides varying degrees of movement resistance to the user depending on the game status.

5

10

15

20

25

30

At some stage in the game the user may wish to save the game as shown on the state-machine diagram of Figure 2 as a "save" action carried out by the user. This may be just before a difficult part of the game in which there is a high risk that the user will make a mistake resulting in a restart of the game. Instead, the user may wish to save the game because they want to end that particular play session and resume with that game status at a later time. The user is charged to store the game status and therefore makes a payment by inserting cash into the cash receiver 16 and which payment is registered by the processor 14. This triggers the processor to store the game status on the storage means 12. The user then has a choice to continue playing the game or to end that play session.

By charging the user to store the game status at a high risk part, the dramatic tension is maintained. The user is also allowed to save the game at the end of a play session at a cost. Income is generated for the owner of the game machine 10 when a user stores the game status. The game can be played free of charge. Advantageously, this encourages novice users to start playing the game. The introductory page may attract new users by displaying a "Free to Play" sign.

As an alternative arrangement of the charging means, the processor 14 may register an account for the user which is stored and updated locally. For example, the amount in the account is increased when the user inserts cash into the cash receiver 16 at any time. Also, the user's account is credited following specific charges in the game status such as the collection of a valuable object in the game. The user is charged to store the game status by debiting the user's account.

Figure 3 shows another computer game system for operating a computer game program. The system 20 has a distributed architecture communicating via the Internet 22 and comprises a PC 24, a server 26, and charging means in the form of an on-line account 28, each remote from one

another. The PC 24 comprises computer readable storage means in the form of a CD-ROM 32, arranged to store the computer game program. At least a part of the computer game program may also be stored on a DVD-ROM, a hard-drive and/or the server 26. The PC 24 further comprises a processor 34 arranged to load the computer game program from the storage means, to execute the computer game program, to receive instructions from a user interface, and to change the game status according to the instructions. The user interface comprises a joystick 37 and a keyboard 38 both connected to the processor 34 either by a wired connection, as shown, or by a wireless link. The PC 24 further comprises a monitor 39.

The on-line account 28 communicates with the PC 24 via the Internet 22 and with the server 26 either directly, as shown, or via the Internet 22.

10

15

20

25

30

An example method of operating a computer game program on the system of Figure 3 will now be described with reference also to the flow-diagram shown in Figure 4. The processor 34 loads the computer game program from the CD-ROM 32 and executes the computer game program. The user plays the game free of charge and the game status is communicated to the user by displaying it on the monitor 39. Instructions and game data are received by the processor 34 from the remote server 26 via the Internet through a secure wired connection as shown and/or via a wireless connection. These instructions and data may be encrypted to prevent the misuse by hackers for example. The processor 34 receives instructions from the user interface, by way of the user operating the joystick 37 and the keyboard 38, and changes the game status according to these instructions.

At some stage in the game the user may wish to pause the game by storing, or freezing, the game status for a short period in order to take a short break. The state-machine diagram of Figure 2 shows this as a "Pause" action carried out by the user. This allows the user to answer an incoming telephone call for example. Also, the user may pause the game when a quick decision is required. The game status is paused for a predetermined period of time in response to a specific instruction from the user interface which may be accommand from the user entered on the keyboard 38 for example. Whilst the

game status is paused, it is stored by the processor 34 on computer readable storage means either locally or remotely via the Internet 22.

Following the pause, the user may resume the game by giving another specific instruction to the processor 34 via, say, the keyboard 38. The game status is then further changed according to instructions received from the user.

The user may wish to save the game for similar reasons as described above for the system of Figure 1, and is charged to store the game status.

Following an instruction from the user, the on-line account 28 is debited with the charged amount. The server communicates with the account and registers the debiting of the account and triggers the processor to store the game status.

10

. 15

20

25

30

A multi-tiered charging scheme may be adopted by charging the user a first amount to store the game status for a predetermined time period, wherein the game is paused for example, and charging the user a second amount to store the game status for an unlimited time period, wherein the game status is saved for example. The first amount may be zero where the user may pause the game free of charge. However, in order to dissuade the user from pausing the game indefinitely, the first amount may increase over the predetermined time period thus making it more expensive for longer pauses. A limit could be imposed on the number of allowed pauses during a specified time period to prevent the user from taking many short, therefore free, consecutive pauses.

To summarise the system of Figure 3, the user is charged to store the game status for an unlimited time period and payment is made by an on-line account 28 which is in communication with a remote server 26 and the PC 24 via the Internet. The game status may be paused for a predetermined time period which is free for short periods.

Although the distributed architecture of Figure 3 communicates via the Internet, it is envisaged that other wired or wireless networks could be used instead. Examples of which include private, global and company intranets which do not form part of the Internet as such.

Variations to the embodiments described will be apparent to those skilled in the art. The system may comprise a game console, a mobile phone

or a PDA. The computer game program may be stored locally, such as on a PC, or remotely at a central server for example. The user may be charged by debiting an account either locally by using a prepaid memory card for example or remotely by using a credit card for example.

5

CLAIMS

- 1. A method of operating a computer game program comprising the steps of:
 - (a) loading said computer game program;
 - (b) executing said computer game program;
 - (c) receiving instructions from a user interface;
 - (d) changing the game status according to said instructions, and
 - (e) charging a user to store said game status.

10

5

- 2. A method according to claim 1, further comprising the step of:
- (f) pausing the game status for a predetermined period of time between steps (d) and (e) in response to a specific instruction from said user interface.

15

- 3. A method according to claim 2, further comprising the step of:
- (g) further changing the game status according to said instructions after step (f).

20

4. A method according to claim 1, 2 or 3, wherein step (e) comprises charging said user a first amount to store said game status for a predetermined time period and charging said user a second amount to store said game status for an unlimited time period.

25

- 5. A method according to claim 4, wherein said first amount increases over said predetermined time period.
- 6. A method according to any preceding claim, wherein said charging is debiting a user's account.

30

7. A method according to claim 6, wherein said user's account is credited following specific changes in the game status.

- 8. A computer game system for operating a computer game program comprising computer readable storage means arranged to store said computer game program, a processor arranged to load said computer game program from said storage means, to execute said computer game program, to receive instructions from a user interface, and to change the game status according to said instructions, and charging means for charging a user to store said game status.
- 9. A computer game system according to claim 8, wherein said system is an integrated computer device.
 - 10. A computer game system according to claim 8, wherein said system has a distributed architecture communicating via the Internet.
- 15 11. A computer game system according to claims 8, 9 or 10, wherein said charging means debits a user's account.
 - 12. A computer game system according to any one of claims 8 to 11, wherein said charging means comprises a cash receiver.

13. A computer game program for carrying out any one of the methods of claims 1 to 7.

20


ABSTRACT


5


10


COMPUTER GAME SYSTEM AND METHOD OF OPERATION

A method of operating a computer game program (10;20) comprising the steps of, loading the computer game program, executing the computer game program, receiving instructions from a user interface, changing the game status according to the instructions, and charging a user to store the game status. The excitement of playing the game is increased for a user whilst increasing the profitability for right-owners of the game. The system may be an integrated computer device, such as a PC, or a distributed architecture.











A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A63F13/10									
According to	International Patent Classification (IPC) or to both national classification	on and IPC							
B. FIELDS S		overholo)							
Minimum documentation searched (classification system followed by classification symbols) IPC 7 A63F G07F									
Documentati	on searched other than minimum documentation to the extent that suc	th documents are included in the fields se	arched						
Electronic da	ata base consulted during the international search (name of data base	and, where practical, search terms used)							
EPO-Int	ternal, WPI Data, PAJ								
C. DOCUMENTS CONSIDERED TO BE RELEVANT									
Category °	Citation of document, with indication, where appropriate, of the relev	ant passages	Relevant to claim No.						
х	EP 0 962 900 A (RICOS KK) 8 December 1999 (1999-12-08) column 12, line 1 - line 30 column 13, line 53 -column 14, line 8								
А	US 2002/127527 A1 (OKAMOTO TAKEYA) 12 September 2002 (2002-09-12) paragraph '0058! - paragraph '006 paragraph '0076! paragraph '0083! - paragraph '008 paragraph '0097!	1,6,8,9, 11-13							
Α	GB 2 348 733 A (NAMCO LTD) 11 October 2000 (2000-10-11) page 16, line 19 - line 24		1-3,6-9, 11-13						
Fur	ther documents are listed in the continuation of box C.	X Patent family members are listed	l in annex.						
	Special categories of cited documents: T later document published after the international filing date								
consi	'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the international 'C' document of particular relevance; the claimed invention								
filing date cannot be considered novel or cannot be considered to cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone									
"O" docum	which is cited to establish the publication date of another clutton or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other ments, such combination being obvious to a person skilled								
P' document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family									
Date of the	actual completion of the international search	Date of mailing of the international se	earch report						
25 November 2003 02/12/2003									
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 Authorized officer									
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Sindic, G							



PCT/IB	03/03876

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 0962900		08-12-1999	JP	5228259 A	07-09-1993
LI 0902900	•	00 12 1777	JP	5237265 A	17-09-1993
			JΡ	3301634 B2	15-07-2002
			JΡ	5324509 A	07-12-1993
			ĴΡ	3268838 B2	25-03-2002
			JΡ	6044269 A	18-02-1994
			ĴΡ	3268839 B2	25-03-2002
			JΡ	6044159 A	18-02-1994
			ĴΡ	6044160 A	18-02-1994
			ĔΡ	0962900 A2	08-12-1999
			ĀŪ	672770 B2	17-10-1996
·			AU	3312193 A	19-08-1993
			CA	2089774 A1	19-08-1993
			CN	1076537 A ,B	22-09-1993
			DE	69329160 D1	14-09-2000
•			DE	69329160 T2	11-01-2001
			ΕP	0556840 A2	25-08-1993
•			ES	2148187 T3	16-10-2000
			ÜS	5547202 A	20-08-1996
US 2002127527	A1	12-09-2002	JP	2532198 B2	11-09-1996
03 200212,02,	,		JP	6334780 A	02-12-1994
			US	6193520 B1	27-02-2001
			US	5775995 A	07-07-1998
			US	5735744 A	07-04-1998
			US	2003077557 A1	24-04-2003
			US	5489103 A	06-02-1996
•			US	2003078097 A1	24-04-2003
GB 2348733	 А	11-10-2000	JP	2000229175 A	22-08-2000
GD EC .C. 30	••	•	US	6558259 B1	06-05-2003

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

•
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
<u></u>

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: _

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.